# FiberBasix 100 TESTERS

100

EOT-100 Optical Loss Test Set ELS-100 Light Source EPM-100 Power Meter





- The EOT-100 Optical Loss Test Set, a versatile instrument that combines a power meter and a light source
- The ELS-100 Light Source, combining up to four wavelengths and available in four specific configurations
- The EPM-100 Power Meter, which offers high accuracy and referencing capabilities

## FTTx Ready

EXFO's FiberBasix testers allow for the testing of passive optical networks (PONs) at 1310 nm, 1490 nm and 1550 nm, the three wavelengths recommended by the ITU-T (G.983.3) for PONs.





# ELS-100 Light Source: Multiwavelength Capability

EXFO's ELS-100 Light Source provides excellent stability and high measurement accuracy for up to three singlemode wavelengths or two multimode wavelengths. It is the perfect complement to the FiberBasix EPM-100 Power Meter when it comes to measuring attenuation on fiber-optic links.



# EOT-100 OLTS: Integrating a Power Meter and a Multiwavelength Light Source

The EOT-100 Optical Loss Test Set delivers power meter functionalities and your choice of up to three wavelengths from the following: 850 nm, 1300 nm, 1310 nm, 1490 nm or 1550 nm. Thanks to the EOT-100's highly flexible design, you can simultaneously measure the attenuation on two fiber links using two units.



# EPM-100 Power Meter: High Accuracy and Easy Referencing

The EPM-100 Power Meter provides highly accurate power measurements, as well as reference value setting capabilities. What's more, this convenient unit requires no offset nulling, and it offers power autonomy of 300 hours, for reliable, long-lasting performance in the field.



The EPM-100 Power Meter



Model <sup>2</sup>	23BL	235BL	12D	01-VCL
Central wavelength (nm)	1310 ± 20	1310 ± 20	850 ± 25	850 ± 20
5	1550 ± 20	1490 ± 10	1300 +50/-10	
	1550 ± 20			
Spectral width <sup>3</sup> (nm)	≤ 5	≤ 5	50/135	≤ 1
Output power (dBm)	≥ 1/≥ 1	≥ 1/≥ -4.5/≥ -3	≥ -20/≥ -20 (62.5/125 µm)	≥ -3 (50/125 µm)
Power stability <sup>4</sup> (dB)			·	·
8 hours	± 0.10	± 0.10	± 0.10	± 0.25
Battery life (hours) (typical)	50	45	55	250
Warranty and recommended	1	1	1	1
calibration interval (years)				

## EOT-100 SPECIFICATIONS<sup>1</sup>

Model⁵	EOT-102	EOT-102X
Power meter port	Ge	GeX
Power range (dBm) <sup>6</sup>	10 to -60	26 to -50
Range displayed (dBm)	Down to -65	Down to -50
Number of calibrated wavelengths <sup>7</sup>	6	6
Power uncertainty <sup>8</sup>	± 5 % ± 1 nW	± 5 % ± 10 nW
Resolution (dB)	0.019	0.0110
Automatic offset nulling <sup>11</sup>	Yes	Yes
Warmup time (s)11, 12	0	0
Display units	dB/dBm/W	dB/dBm/W
Screen refresh rate (Hz)	3	3
Battery life (hours) (typical)	260	260
Warranty and recommended	1	1
calibration interval (years)		

### **GENERAL SPECIFICATIONS**

Size (H x W x D)	18.5 cm x 10.0 cm x 5.5 cm	(71/4 in x 4 in x 21/8 in)
Weight	0.4 kg	(0.9 lb)
Temperature	•	
operating	-10 °C to 50 °C	(14 °F to 122 °F)
storage	-40 °C to 70 °C	(-40 °F to 158 °F)
Relative humidity	0 % to 95 % non-condensing	

## STANDARD ACCESSORIES

User guide, Certificate of Calibration, instrument stickers in four languages, AC adapter, connector adapter (FOA-XX), three AA batteries, wrist strap, alcohol cleaning pads.

#### **SAFETY**

21 CFR 1040.10 and IEC 60825-1:1993+A1:1997+A2:2001: CLASS 1M LASER PRODUCT

Model <sup>2</sup>	23BL	235BL	12D	01-VCL
Central wavelength (nm)	1310 ± 20	1310 ± 20	850 ± 25	850 ± 20
	1550 ± 20	1490 ± 10	1300 +50/-10	
		1550 ± 20		
Spectral width (nm) <sup>3</sup>	≤ 5	≤ 5	50/135	≤ 1
Output power (dBm)	≥ 1/≥ 1	≥ 1/≥ -4.5/≥ -3	≥ -20/≥ -20 (62.5/125 µm)	≥ -3 (50/125 µm)
Power stability (dB) <sup>4</sup>				
8 hours	± 0.10	± 0.10	± 0.10	± 0.25
Battery life (hours) (typical)	50	45	55	250
Warranty and recommended	1	1	1	1
calibration interval (years)				

## EPM-100 SPECIFICATIONS<sup>1</sup>

Model⁵	EPM-102	EPM-102X	
Power meter port	Ge	GeX	
Power range <sup>6</sup> (dBm)	10 to -60	26 to -50	
Range displayed (dBm)	Down to -65	Down to -50	
Number of calibrated wavelengths <sup>7</sup>	6	6	
Power uncertainty <sup>8</sup>	± 5 % ± 1 nW	± 5 % ± 10 nW	
Resolution (dB)	0.019	0.0110	
Automatic offset nulling <sup>11</sup>	Yes	Yes	
Warmup time <sup>6</sup> (s)	0	0	
Display units	dB/dBm/W	dB/dBm/W	
Screen refresh rate (Hz)	3	3	
Battery life (hours) (typical)	> 300	> 300	
Warranty and recommended	1	1	
calibration interval (years)			

## Notes

- 1. Guaranteed unless otherwise specified.
- All specifications valid at 23 °C ± 1 °C, with an FC connector.
   rms for lasers and FWHM for LEDs; typical values for LEDs.
- 4. After 15 minutes warmup; expressed as  $\pm$  half the difference between the maximum and minimum values measured during the period, with an APC connector on the power meter.

- All specifications valid at 1550 nm and 23 °C ± 1 °C, with an FC connector.
  In CW mode; sensitivity defined as 6 x rms noise level.
  Wavelengths: 850 nm, 1300 nm, 1310 nm, 1490 nm, 1550 nm and 1625 nm.
  Traceable to NIST; EOT-102X: up to 20 dBm.
- 9. From 10 dBm to -50 dBm.
- 10. From 26 dBm to -35 dBm.
- 11. Power > -40 dBm for EOT-102, and > -25 dBm for EOT-102X.
- 12. For  $\pm$  0.05 dB, from 18 °C to 28 °C.

## ORDERING INFORMATION

## ELS-100-XX-XX

Model ELS-100-12D =  $850/1300 \text{ nm LED } (62.5/125 \mu\text{m})$ 

ELS-100-23BL = 1310/1550 nm laser (9/125 µm)

ELS-100-235BL = 1310/1490/1550 nm laser (9/125  $\mu$ m) ELS-100-12D-23BL = 850/1300 nm LED (62.5/125  $\mu$ m), 1310/1550 nm laser (9/125  $\mu$ m)

ELS-100-01-VCL = 850 nm VCSEL (50/125  $\mu$ m)

Example: ELS-100-12D-23BL-EI-EUI-89

## Connector\*

 $50 = FC/PC^{1}$  $54 = SC/PC^{1}$ 

EI-EUI-90 = UPC/ST3  $74 = ST/PC^1$ 

EI-EUI-91 = UPC/SC3  $89 = FC/UPC^2$  $EI-EUI-95 = UPC/E-2000^3$  $90 = ST/UPC^2$ 

 $91 = SC/UPC^2$ 

## Notes

1. Multimode only

2. Singlemode only

EI-EUI-89= UPC/FC narrow key3

3. Interchangeable connection

## EOT-10X-XX-XX

#### Model

EOT-102-12D = Ge detector, 850/1300 nm LED (62.5/125  $\mu$ m) EOT-102-23BL = Ge detector, 1310/1550 nm laser (9/125  $\mu$ m) EOT-102-235BL = Ge detector, 1310/1490/1550 nm laser (9/125  $\mu$ m) EOT-102X-23BL = High-power Ge detector, 1310/1550 nm laser (9/125  $\mu$ m) EOT-102X-235BL = High-power Ge detector, 1310/1490/1550 nm laser (9/125 μm) EOT-102-01-VCL = Ge detector, 850 nm VCSEL (50/125 μm)

Example: EOT-102X-235BL-FOA-22-EI-EUI-89

## Connector Adapter (Power Meter)\*

Connector (Source)\* FOA-22 = FC (PC/SPC/UPC/APC), NEC-D3  $50 = FC/PC^{\dagger}$ FOA-32 = ST (PC/SPC/UPC)  $54 = SC/PC^{1}$ FOA-54 = SC (PC/SPC/UPC/APC) $74 = ST/PC^{1}$  $89 = FC/UPC^2$ FOA-96B = E-2000FOA-98 = LC $90 = ST/UPC^2$  $91 = SC/UPC^2$ 

#### Notes

EI-EUI-90 = UPC/ST3 Multimode only  $EI-EUI-91 = UPC/SC^3$ 2. Singlemode only 3. Interchangeable connection  $EI-EUI-95 = UPC/E-2000^3$ 

EI-EUI-89 = UPC/FC narrow key3

## EPM-10X-XX

#### Model

EPM-102 = Ge detector EPM-102X = High-power Ge detector

Example: EPM-102X-FOA-22

### Connector Adapter\*

FOA-22 = FC (PC/SPC/UPC/APC), NEC-D3 FOA-32 = ST (PC/SPC/UPC)

FOA-54 = SCFOA-96B = E-2000FOA-98 = LC

## **Test Kit Ordering Information**

## FBK-101-XX LAN Test Kit

- EPM-102-XX Power Meter, Ge detector
- ELS-100-12D-XX Light Source, 850/1300 nm LED (1 port)
- One TJ-DXX-XX Test Jumper
- Carrying case GP-10-061

- FBK-102-XX Outside Plant Test Kit
   EPM-102-XX Power Meter, Ge detector
   ELS-100-23BL-XX Light Source, 1310/1550 nm laser (1 port)
- One TJ-BXX-XX Test Jumper Carrying case GP-10-061

#### FBK-103-XX Contractor Test Kit

- EPM-102-XX Power Meter, Ge detector
- ELS-100-12D-23BL-XX Light Source, 850/1300 nm LED and 1310/1550 nm laser (2 ports)
  One TJ-BXX-XX Test Jumper
- One TJ-DXX-XX Test Jumper
- Carrying case GP-10-061

- FBK-104-XX GigE Test Kit
   EPM-102-XX Power Meter, Ge detector
- ELS-100-01-VCL-XX Light Source, 850 nm VCSEL (1 port) One TJ-CXX-XX Test Jumper Carrying case GP-10-061

## FBK-105-XX CATV Test Kit

- N-103-XX CATV lest Nit EPM-102X-XX Power Meter, high-power Ge detector ELS-100-23BL-XX Light Source, 1310/1550 nm laser (1 port) One TJ-BXX-XX Test Jumper Carrying case GP-10-061

## FBK-106-XX Bidirectional MM Premise Test Kit

- Two EOT-102-12D-XX OLTSs, Power Meter with Ge detector, 850/1300 nm LED source Two TJ-DXX-XX Test Jumpers
- Carrying case GP-10-061

\*Other connectors and connector adapters available. Consult our website at www.exfo.com/accessories for details.

Find out more about EXFO's extensive line of high-performance portable instruments by visiting our website at www.exfo.com.

Corporate Headquarters > 400 Godin Avenue, Vanier (Quebec) G1M 2K2 CANADA | Tel.: 1 418 683-0211 | Fax: 1 418 683-2170 | info@exfo.com

		1011-	iree: 1 800 663-3936 (USA a	nd Canada)   www.exro.com
EXFO America	3701 Plano Parkway, Suite 160	Plano, TX 75075 USA	Tel.: 1 800 663-3936	Fax: 1 972 836-0164
EXFO Europe	Le Dynasteur, 10/12 rue Andras Beck	92366 Meudon la Forêt Cedex FRANCE	Tel.: +33.1.40.83.85.85	Fax: +33.1.40.83.04.42
EXFO Asia-Pacific	151 Chin Swee Road, #03-29 Manhattan House	SINGAPORE 169876	Tel.: +65 6333 8241	Fax: +65 6333 8242
EXFO China	No.88 Fuhua, First Road	Shenzhen 518048, CHINA	Tel.: +86 (755) 8203 2300	Fax: +86 (755) 8203 2306
	Central Tower, Room 801, Futian District			

EXFO is certified ISO 9001 and attests to the quality of these products. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. EXFO has made every effort to ensure that the information contained in this specification sheet is accurate. All of EXFO's manufactured products are compliant with the European Union's WEEE directive. For more information, please visit www.exfo.com/recycle. However, we accept no responsibility for any errors or omissions, and we reserve the right to modify design, characteristics and products at any time without obligation. Units of measurement in this document conform to SI standards and practices Contact EXFO for prices and availability or to obtain the phone number of your local EXFO distributor.

For the most recent version of this spec sheet, please go to the EXFO website at http://www.exfo.com/specs In case of discrepancy, the Web version takes precedence over any printed literature





Printed in Canada 06/01

